

Modules

ListUninstall

Modules are plugins that extend Drupal's core functionality. Enable modules by selecting the *Enabled* checkboxes below and clicking the *Save configuration* button. Once a module is enabled, new permissions may be available. To reduce server load, modules with their *Throttle* checkbox selected are temporarily disabled when your site becomes extremely busy. (Note that the *Throttle* checkbox is only available if the Throttle module is enabled.)

It is important that update.php is run every time a module is updated to a newer version.

You can find all administration tasks belonging to a particular module on the administration by module page.

To extend the functionality of your site, a number of contributed modules are available.






















To clear all caches, click the button on the Performance page.

▼ CCK

Enabled	Name	Version	Description
<input checked="" type="checkbox"/>	Content	6.x-2.6	Allows administrators to define new content types. Required by: Content Copy (disabled), Content Permissions (disabled), Date (disabled), Date Tools (disabled), Fieldgroup (disabled), FileField (disabled), Node Reference (disabled), Number (disabled), Option Widgets (disabled), Text (disabled), User Reference (disabled), FileField Meta (disabled)
<input type="checkbox"/>	Content Copy	6.x-2.6	Enables ability to import/export field definitions. Depends on: Content (disabled)
<input type="checkbox"/>	Content Permissions	6.x-2.6	Set field-level permissions for CCK fields. Depends on: Content (disabled)
<input type="checkbox"/>	Fieldgroup	6.x-2.6	Create display groups for CCK fields. Depends on: Content (disabled)
<input type="checkbox"/>	FileField	6.x-3.3	Defines a file field type. Depends on: Content (disabled) Required by: FileField Meta (disabled)
<input type="checkbox"/>	FileField Meta	6.x-3.3	Add metadata gathering and storage to FileField. Depends on: FileField (disabled), Getid3 (missing), Content (disabled)
<input type="checkbox"/>	Node Reference	6.x-2.6	Defines a field type for referencing one node from another. Depends on: Content (disabled), Text (disabled), Option Widgets (disabled)
<input type="checkbox"/>	Number	6.x-2.6	Defines numeric field types. Depends on: Content (disabled)
<input type="checkbox"/>	Option Widgets	6.x-2.6	Defines selection, check box and radio button widgets for text and numeric fields. Depends on: Content (disabled) Required by: Node Reference (disabled), User Reference (disabled)
<input type="checkbox"/>	Text	6.x-2.6	Defines simple text field types. Depends on: Content (disabled) Required by: Node Reference (disabled), User Reference (disabled)
<input type="checkbox"/>	User Reference	6.x-2.6	Defines a field type for referencing a user from a node. Depends on: Content (disabled), Text (disabled), Option Widgets (disabled)









▼ Core - optional

Enabled	Name	Version	Description
<input type="checkbox"/>	Aggregator	6.25	Aggregates syndicated content (RSS, RDF, and Atom feeds).
<input type="checkbox"/>	Blog	6.25	Enables keeping easily and regularly updated user web pages or blogs.
<input type="checkbox"/>	Blog API	6.25	Allows users to post content using applications that support XML-RPC blog APIs.
<input type="checkbox"/>	Book	6.25	Allows users to structure site pages in a hierarchy or outline.
<input checked="" type="checkbox"/>	Color	6.25	Allows the user to change the color scheme of certain themes.
<input checked="" type="checkbox"/>	Comment	6.25	Allows users to comment on and discuss published content. Required by: Forum (disabled), Tracker (disabled)
<input type="checkbox"/>	Contact	6.25	Enables the use of both personal and site-wide contact forms.

	Content translation	6.25	Allows content to be translated into different languages. Depends on: Locale (disabled)
	Database logging	6.25	Logs and records system events to the database.
	Forum	6.25	Enables threaded discussions about general topics. Depends on: Taxonomy (enabled), Comment (enabled)
	Help	6.25	Manages the display of online help.
	Locale	6.25	Adds language handling functionality and enables the translation of the user interface to languages other than English. Required by: Date Locale (disabled), Content translation (disabled)
	Menu	6.25	Allows administrators to customize the site navigation menu.
	OpenID	6.25	Allows users to log into your site using OpenID.
	Path	6.25	Allows users to rename URLs. Required by: Pathauto (enabled)
	PHP filter	6.25	Allows embedded PHP code/snippets to be evaluated.
	Ping	6.25	Alerts other sites when your site has been updated.
	Poll	6.25	Allows your site to capture votes on different topics in the form of multiple choice questions.
	Profile	6.25	Supports configurable user profiles.
	Search	6.25	Enables site-wide keyword searching.
	Statistics	6.25	Logs access statistics for your site.
	Syslog	6.25	Logs and records system events to syslog.
	Taxonomy	6.25	Enables the categorization of content. Required by: Forum (disabled), Image Gallery (enabled)
	Throttle	6.25	Handles the auto-throttling mechanism, to control site congestion.
	Tracker	6.25	Enables tracking of recent posts for users. Depends on: Comment (enabled)
	Trigger	6.25	Enables actions to be fired on certain system events, such as when new content is created.
	Update status	6.25	Checks the status of available updates for Drupal and your installed modules and themes.
	Upload	6.25	Allows users to upload and attach files to content.

► Core - required

▼ Date/Time

Enabled	Name	Version	Description
	Date	6.x-2.4	Defines CCK date/time fields and widgets. Depends on: Content (disabled), Date API (disabled), Date Timezone (disabled) Required by: Date Tools (disabled)
	Date API	6.x-2.4	A Date API that can be used by other modules. Required by: Date (disabled), Date Locale (disabled), Date PHP4 (disabled), Date Popup (disabled), Date Repeat API (disabled), Date Timezone (disabled), Date Tools (disabled)
	Date Locale	6.x-2.4	Allows the site admin to configure multiple formats for date/time display to tailor dates for a specific locale or audience. Depends on: Date API (disabled), Locale (disabled)
	Date PHP4	6.x-2.4	Emulate PHP 5.2 date functions in PHP 4.x, PHP 5.0, and PHP 5.1. Required when using the Date API with PHP versions less than PHP 5.2. Depends on: Date API (disabled)
	Date Popup	6.x-2.4	Enables jquery popup calendars and time entry widgets for selecting dates and times. Depends on: Date API (disabled), Date Timezone (disabled)
	Date Repeat API	6.x-2.4	A Date Repeat API to calculate repeating dates and times from iCal rules. Depends on: Date API (disabled)
	Date Timezone	6.x-2.4	Needed when using Date API. Overrides site and user timezone handling to set timezone names instead of offsets. Depends on: Date API (disabled) Required by: Date (disabled), Date Popup (disabled), Date Tools (disabled)
	Date	6.x-2.4	Tools to import and auto-create dates and calendars.

	Tools	Depends on: Content (disabled), Date (disabled), Date API (disabled), Date Timezone (disabled)





















Flags			
Enabled	Name	Version	Description
	Flag	6.x-1.3	Create customized flags that users can set on content. Required by: Flag actions (disabled)
	Flag actions	6.x-1.3	Execute actions on Flag events. Depends on: Flag (disabled)









Image			
Enabled	Name	Version	Description
	Image	6.x-1.0-beta5	Allows uploading, resizing and viewing of images. Required by: Image Attach (disabled), Image Gallery (enabled), Image Import (disabled)
	Image Attach	6.x-1.0-beta5	Allows easy attaching of image nodes to other content types. Depends on: Image (enabled)
	Image Gallery	6.x-1.0-beta5	Allows sorting and displaying of image galleries based on categories. Depends on: Image (enabled), Taxonomy (enabled)
	Image Import	6.x-1.0-beta5	Allows batches of images to be imported from a directory on the server. Depends on: Image (enabled)
	ImageMagick Advanced Options	6.x-1.0-beta5	Adds advanced options to the ImageMagick image toolkit.

ImageCache			
Enabled	Name	Version	Description
	ImageAPI	6.x-1.8	ImageAPI supporting multiple toolkits. Required by: ImageCache (enabled), Imagecache Canvas Actions (disabled), Imagecache Color Actions (disabled), ImageCache UI (disabled), Imagecache Autorotate (disabled), Imagecache Custom Actions (disabled), Imagecache Text Actions (disabled)
	ImageAPI GD2	6.x-1.8	Uses PHP's built-in GD2 image processing support.
	ImageAPI ImageMagick	6.x-1.8	Command Line ImageMagick support.
	ImageCache	6.x-2.0-beta10	Dynamic image manipulator and cache. Depends on: ImageAPI (enabled) Required by: Imagecache Autorotate (disabled), Imagecache Canvas Actions (disabled), Imagecache Color Actions (disabled), Imagecache Custom Actions (disabled), Imagecache Text Actions (disabled), ImageCache UI (disabled)
	Imagecache Autorotate	6.x-1.7	Autorotate image based on EXIF Orientation. Depends on: ImageCache (enabled), ImageAPI (enabled)
	Imagecache Canvas Actions	6.x-1.7	Actions for manipulating image canvases layers, including watermark and background effect. Also an aspect switcher (portrait/landscape) Depends on: ImageCache (enabled), ImageAPI (enabled)
	Imagecache Color Actions	6.x-1.7	Additional ImageCache actions, providing color-shifting, brightness and alpha transparency effects. Depends on: ImageCache (enabled), ImageAPI (enabled)
	Imagecache Custom Actions	6.x-1.7	Allow direct PHP code manipulation of imagecache images. Depends on: ImageCache (enabled), ImageAPI (enabled)
	Imagecache Text Actions	6.x-1.7	Display simple or dynamic captions on images. Depends on: ImageCache (enabled), ImageAPI (enabled)
	ImageCache UI	6.x-2.0-beta10	ImageCache User Interface. Depends on: ImageCache (enabled), ImageAPI (enabled)













Input filters			
Enabled	Name	Version	Description

	Table of Contents	6.x-3.6	Adds a filter that generates Tables of contents for pages with '[toc ...]' tags or that have a predetermined number of headers. Required by: Table of Contents Block (disabled)
	Table of Contents Block	6.x-3.6	Display the table of contents in a block. Depends on: Table of Contents (disabled)
	Typogrify	6.x-1.0	Adds typographic refinements.


Meta tags

Enabled	Name	Version	Description
	Administration interface for Nodewords	6.x-1.12-beta9	Administration interface for Nodewords. Depends on: Nodewords (disabled)
	Basic meta tags	6.x-1.12-beta9	Define basic meta tags for Drupal pages. Depends on: Nodewords (disabled)
	Extra meta tags	6.x-1.12-beta9	Define extra meta tags for Drupal pages. Depends on: Nodewords (disabled)
	Meta tags for custom pages	6.x-1.12-beta9	Allow to set meta tags for any pages for which is known the URL. Depends on: Nodewords (disabled)
	Nodewords	6.x-1.12-beta9	Implement an API that other modules can use to add meta tags. Required by: Administration interface for Nodewords (disabled), Basic meta tags (disabled), Meta tags for custom pages (disabled), Extra meta tags (disabled), Tokens for meta tags (disabled), User interface for Nodewords (disabled), Site verification meta tags (disabled)
	Site verification meta tags	6.x-1.12-beta9	Define site verification meta tags required by some web sites (mainly from search engines) to verify a web site. Depends on: Nodewords (disabled)
	Tokens for meta tags	6.x-1.12-beta9	Implement tokens that can be used to set the content of meta tags. Depends on: Nodewords (disabled), Token (enabled)
	User interface for Nodewords	6.x-1.12-beta9	Implement the user interface visible to authenticated users. Depends on: Nodewords (disabled)




Other

Enabled	Name	Version	Description
	Advanced help	6.x-1.2	Allow advanced help and documentation. Required by: Advanced help example (disabled)
	Advanced help example	6.x-1.2	A example help module to demonstrate the advanced help module. Depends on: Advanced help (disabled)
	Better Formats	6.x-1.2	Enhances the core input format system by managing input format defaults and settings.
	Diff	6.x-2.1-alpha3	Show difference between node revisions.
	Filter By Node Type	6.x-1.2	Restrict what input formats are available by node type
	Page Title	6.x-2.3	Enhanced control over the page title (in the <head> tag). Depends on: Token (enabled)
	Pathauto	6.x-1.3	Provides a mechanism for modules to automatically generate aliases for the content they manage. Depends on: Path (enabled), Token (enabled)
	Revision Moderation	6.x-1.0-alpha2	Allows moderation of new node revisions while existing approved revisions stay visible.
	Token	6.x-1.13	Provides a shared API for replacement of textual placeholders with actual data. Required by: Tokens for meta tags (disabled), Page Title (enabled), Pathauto (enabled), TokenSTARTER (disabled), Token actions (disabled)
	Token actions	6.x-1.13	Provides enhanced versions of core Drupal actions using the Token module. Depends on: Token (enabled)
	TokenSTARTER	6.x-1.13	Provides additional tokens and a base on which to build your own tokens. Depends on: Token (enabled)
	Transliteration	6.x-2.1	Provides transliteration for UTF-8 text input and sanitizes file names.



User interface

Enabled	Name	Version	Description
	Wysiwyg	6.x-2.1	Allows users to edit contents with client-side editors.

Views

Enabled	Name	Version	Description
	Views	6.x-2.10	Create customized lists and queries from your database. Required by: Views exporter (enabled), Views UI (enabled)
	Views exporter	6.x-2.10	Allows exporting multiple views at once. Depends on: Views (enabled)
	Views UI	6.x-2.10	Administrative interface to views. Without this module, you cannot create or edit your views. Depends on: Views (enabled)

Workflow

Enabled	Name	Version	Description
	Workflow	6.x-1.4	Allows the creation and assignment of arbitrary workflows to node types. Required by: Workflow access (disabled)
	Workflow access	6.x-1.4	Content access control based on workflows and roles. Depends on: Workflow (disabled)

Save configuration

Looking for something else?

About Us	Get Kubuntu
Legal	Feature Tour
Contact Us	Community
Contributing	Support

© 2010- The Kubuntu community. Icons copyright of Oxygen icon theme
Kubuntu and Canonical are registered trademarks of Canonical Ltd.